



Test Report/ Certificate of Analysis

**Date of Report** Nov 20, 2025  
**To:** Protixa  
**From:** AxisPharm, LLC  
**Certificate ID Number:** 20Nov2025-04

**Results reported by:** Lab Technician  
Ning Yang

**Review/Approved by:**   
QA Director  
Dawei Yue

**Sample Received:** Date: 11/17/2025  
Receiving Condition:  Acceptable  Other: \_\_\_\_\_  
Storage Condition:  Room temperature  -20°C  -80°C  
 Other: \_\_0 °C\_\_

Sample Name: Semax Selank 15mg 15mg in 15ml; Label mg  
Claim: 15mg/15mg; Brand Name: Protixa; Lot#:  
SXS1515N1125; MFD: 11/2025; BBD: 11/2026  
**Method(s):** LCMS

**Procedure(s):** Laboratory Activity Date: 10/19/2025  
**Results:**

Sample Name	Net Weight Measured	MW (g/mol)	Detected	UV Purity (208nm) (%)
Semax Selank 15mg 15mg in 15ml	13.9 /13.7	813.93/751.9	815.4 [M+H]/753.5 [M+H]	>99

Salts and sugars that serves as fillers in injectables are not considered as impurities.  
Conclusion: The product comes with Semax / Selank 13.9mg / 13.7 with purity >99.0%.